MINERAL SURVEY No. 3694

	ARIZONA.	
		Land District.
F	TELD NOT	ES
OF THE S	SURVEY OF THE MINING	CLAIM OF
	JOHN MACKIN	
	KNOWN AS THE	
	BUSTER LODE	
*	WARM SPRINGS	Mining District,
COCONINO	County	
Surveyed under instruct	o National Forest F tions dated Septem	Reserve. Der 16, 1920
	by Lleon H.	Foster.
		U. S. Mineral Surveyor.
Claim located	January let See loc	ation notice
Survey commence	ed September 29.	, 1920
Survey completed.	September 29,	, 1920
Address of claims	ant John Mackin, 513 Chicago, Ill.	N. State St.,
DATES	OF AMENDED LOCAT	ions.
× 1		

1500,0001

feet

. BILL

BUSTER LODE.

begins brown bus directly of manual and bounty and mi

Beginning at Cor. No. 1.

A limestone rock, 24 X 8 X 8 ins., set 12 ins., in the ground in a mound of stone and earth, marked with a cross at the exact cor. point with R-1-3694 on south west face.

Identical with the location.

A yellow pine tree 12 ins. diam., bears \$5 69°37'W., 36.90 ft. marked with a cross and B T 3694-B-1.

A yellow pine tree 22 ins., diam., bears S 3º12'W;, 27.30 ft. marked with a cross and B T 3694-B-1.

. U.S.M.M.No.1 bears S 89 52 E., 1061.17 ft.

Cor. 1, Ensign lode, Sur. 3706, bears N 2°00'E., 778.19 f.t.

Cor. 2, Upright lode, Sur. 1655 bears S 78°34'30"W.,

Thence St 7°52'W.

126.18 Intersect line 1-2 Sur. No. 1655, Upright lode

at S 81°05'E., 342.52 ft. from Cor. No. 2.

300.00 . To the east end center of the location.

The discovery cut bears N 82°08'W., 765.00 ft.

in the ground in a mound of earth and stone, marked with a cross at the exact corner point with B-2-3694 on north west face.

Identical with the location.

A yellow pine tree 24 ins., diam., bears N 80°52'E.,

31.30 ft., marked with a cross and B T 3694.

A yellow pine tree 20 ins., diam., bears N 38°41'W., 34.60 ft., marked with a cross and B T 3694-B-2.

Thence N 82°08'W.

1500.00 To Cor. No. 3.

A limestone rock, 22 X 10 X 6 ins., set 11 ins.

feet

BUSTER LODE, continued.

in the ground in a mound of earth and stone, marked with a cross at the exact corner point with B-3-3694 on northeast face.

Identical with the location.

, A yellow pine, 24 ins., diam., bears S 15°37'W., 51.00 ft., marked with a cross and B T 3694.

A yellow pine 30 ins., diam., bears N 42°13'W., 59.00 ft., marked with a cross and B T 3694-B-3.

.Wife e ... Thence N 7º52'E.

300.00

To the west end center of the location.

The discovery cut bears S 82°08'E.,735.00 ft.

328.69 Intersect the line 2-3, Sur. No. 1655, Paupers Dr.eam Lode, at 5389*29'W., 788.20 ft. from Cor. No. 2.

600.00 To Cor. No. 4. To con maland, mark

A limestone rock, 22 X 12 X 8 ins., set 11 ins. in the ground in a mound of earth and stone, marked with a cross at the exact corner point with B-4-3694 on southeast face.

Identical with the location

A yellow pine tree 24 ins., diam., bears S 13°39'W. 16.70 ft., marked with a cross and B T 3694.

. A yellow pine tree 22 ins., diam., bears S 35°58'E. 61.40 ft., marked with a cross and B. T 3694-B-4.

Cor. No. 2, Paupers Dream lode, Sur. 1655 bears

Thence S 82°08'E.

1128.68

Intersect lines 2-3 and 6-1, Upright and Paupers Dream lodes, of Survey No. 1655, respectively, at N 5°40'W., 123.32 ft. from Cor. 2 of the Upright Lode, and N 5°40'W., 147.32 ft. from Cor. 1 of the Paupers Dream lode.

1500.00

To Cor. No. 1, the place of beginning.

Variation at all corners, 15°30'E.

3

4

benefines, saallod be LODE LINES. a saulibrages

As near as can be determined from present developments, the vein in this claim extends N 82°08'W., 735.00 ft., and S382°08'E., 765.00 ft. from the discovery

extending H 55°W. 16 ft. from a point which bears

revocab to ambor out mori .to co.vii .. 10291272

Area in conflict with-

Sar.No.1655, Upright lode.....1.007 Sar.No.1655, Paupers Dream Lode..5.090

LOCATION.

This survey is located in the Warm Springs Mining District, in Coconino County, Arizona, in approximately section 13, T. 38 N., R. 1 E., of the G. & S. R. B. & M., unsurveyed, in Kaibab National Forest Reserve.

Expenditure of Five Hundred Dollars.

I certify that the value of the improvements and labor, made upon and for the benigit of this claim by the claimant or his grantors is not less than five hundred dollars and consists of the following:

No.1, the discovery cut, an open cut, ,10 ft. wide, 5 ft. deep, extending SS15°E., 30 ft., and N 15°W., 12 ft., Thence N 65°W., 40 ft. from the point of discovery which is on the lode line, \$ 82°08'E. 735.00 ft. from the west end center. .airalog to nollayroado

Value;;;.....\$350.00

No. 2, an open cut, 7 ft. wide, 3 ft. deep, extendig N 55°W., 20 Ft., and S 33°W., 20 ft. from a point that bears S 4°30'W., 70.00 ft. from the point of discovery on the lode line. morrus si di sobje gambe ila ne

\$ 250.00 Value..............

No.3, an open cut, 7 ft. wide, 3 ft. deep,

Expenditure of Five Hundred Dollars, continued. extending S-72°E., 20 ft., and S 15°W., 42 ft., from a point which bears S 4°30'W., 100.00 ft., from the point of discovery on the lode line.

Value.....\$150.00

No. 4, an open cut, 7 ft. wide, 10 ft. deep, extending N 55°W., 16 ft. from a point which bears Sc21030'W., 117.00 ft. from the point of discovery on the lode line.

First in conflict with-Value..... 900.1..... Isot Jagirgu, test. ox. re

REPORT.

The side and end lines and all other lines were run directly on the ground.

Sur. No. 1655, Upright and Paupers Dream Lodes; All the corners are pine posts, properly set and scribed with the number of the corner and survey. I find all courses and distances to be correct as approved.

U. S. M.M. No. 1, is a post, 6 ins., square, 6 ft. above ground, properly marked and set in a mound of stone, 6 ft. base, 12 ins. high.

INSTRUMENT AND MERIDIAN.

The survey was made with a 100 ft., and a 500 ft. tape and a Berger Mining transit.

> The meridian was determined by elongation observation of polaris.

CONFLICTING AND SURROUNDING CLAIMS.

On the north this claim joins and is in conflict with Sur. No. 1655, Paupers Dream and Upright lodes, and on all other sides it is surrounded by public domain.

The differences between the notices and the survey

are

is due to error in the former.

The end centers of location are monuments of stone 3ft high, 3 ft base.

Leon N Fools-

Kingman, Arizona.

U. S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of t	the individuals employed by Fred W. Rodolf
	veyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the	foregoing field notes of the survey of the mining claim of
	John Mackin
known as the	Buster lode
and showing the respective c	apacities in which they acted.
	Fred W. Rodolf , Chainman.
	, Chainman.
	, Axman,
	, Flagman.
FINA	AL OATHS OF ASSISTANTS.
	Rodolf
and total and the land	, do solemnly swear that wassisted
Leon H. Foster	, United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining	claim ofJohn Mackin
In the second se	
known as the	
represented in the foregoing fie	eld notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey	has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the	compound have the
	corner and boundary monuments established according to law and the instruc-
tions rurnished by the United St	ates Surveyor-General for Arizona.
	red W. Godol, Chainman.
	, Chainman.
	Axman.
	Flagman.
Subscribed a	and sworn to by the above-named persons before me this
day of	And sworn to by the above-named persons before me this 2 nd Many E. Carrow Many Rubics 20th, 1922.
	m a o
	Many E. arrow.
My Commission 7	Matary Public
My Commission Expires Nov.	6—1043

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Leon H. Fos	ter	. U.S	Mineral Surveyor		
do solemnly swear that, is	n pursuance of instruct	ions received from	the United States		
Surveyor General for	Arizona		deted		
Sept. 16, 1920.		in strict conformit	v to the laws of the		
United States, the official	regulations and instruct	ions thereunder	nd the justimetions		
of said Surveyor General,	faithfully and correctly	executed the sur	ver of the Minimu		
Claim of John	1 Mackin	executed the sur	vey of the Mining		
			known as the		
	Buster lode				
situate in	WARM SPRINGS		Mining District		
coconino	County,	Arizona	approximately in Section		
Township N	No. 38 N., Range No.	l E., unsurvey	red, G. & S.R.B.& M		
and designated as Survey	No. 3694		, as represented		
in the foregoing field notes					
as distinctly marked by mo	numents on the ground	, and described in	the attached copy		
of the location certificate, v	which was received by	ne from the Surve	evor General with		
said instructions, and that a	all the corners of said su	rvey have been es	tablished and per-		
petuated in strict accordance	ce with the law, officia	l regulations and	instructions there		
ander; and I do further so	plemnly swear that the	foregoing are the	true and original		
ander; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and					
mprovements made upon s	aid mining claim by cla	imant or hi	or expended and		
are as therein fully stated,	and that the character	extent location as	ad itamized		
hereof are specified therein	with particularity and	full detail and to	la Remizea value		
aid labor or improvements	so credited to this clair	has been included	nat no portion of		
aid labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.					
- one on a real control of the	Ter claim.				
	1	41-	7		
	ae	m / - U. S.	Mineral Surveyor		
Subscribed and sworn to	hy the soid Lear	- Ft. For	to		
Subscribed and sworn to by the said Leon H. For ter U. S. Mineral Surveyor, before me Matary Publice					
o. S. Himorai Kurvey	n, before me	any ou	vice.		
day of Dambe	۲ - 10.2 -	this 2			
day of 1999					
	m 1000	and E	Pull's		
My Commission Expires Nov. 2	Utn, 1920.	m	D		
		1/a land	(Tuletia		

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix	Arizona,
	February 8 , 19 2
I, U. S. Surveyor-General for District	of ARISONA.
do hereby certify that the foregoing transcript of the	
of the mining claim of	
JOHN	
known as the	R LODE
situate inWARM	SPRINGS
Mining District, COCONINO approximately in Section 13 , Township No. 38 Nor	0
designated as Survey No, has b	een correctly copied from the originals on file in
this office; that said Field Notes furnish such an accu	rate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the p	remises, and that such reference is made therein
to natural objects or permanent monuments as will per	
And I further certify that five hundred dollars'	worth of labor has been expended or improve-
ments made upon said mining claim by claimant or	his grantors, and that said improvements
consist of 4 cuts, total value 925.0	0

and that no portion of said labor or improvements has	been included in the estimate of expenditures
pon any other claim.	or capellationes
I further certify that the plat thereof, filed in the I	J. S. Land Office at Phoenix.
rizona, is correct and in conform	nity with the foregoing Field Notes
Pre	nk P. Trott,
19421b3m8-05 United States Surveyor-	General for Arizona.

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

	Phoenix, Arizo	one.
	Fel	ruary 8 , 19 21
I, U. S. Surveyor General for	District of ARIZONA,	
do hereby certify that the foregoing an	d hereto attached Field Notes an	d Return of the Survey of the
Mining Claim of		
		, known as the
	BUSTER LODE	
situate in		
COCONINO	County,	ARTZONA
approximately in Section, Tov	vnship No. 38 North	., Range No. 1 E.,
Unsurveyed , designated as Surv	ey No3694	
executed by Leon H.	Foster	, U. S. Mineral
Surveyor, September 29	, 192 0	, under my instructions dated
September 16,		
rections and explanations made, and the		
re hereby approved. The certified copy	of the location certificate filed b	y the applicant for survey is
n file in this office and a true copy of said	certified copy of said location ce	rtificate is included and made
part of the transcript of the field notes		
	Frank (3)	Freth

U. S. Surveyor General for Arizona.